




PART #	DIM "A"	DIM "B"	DIM "C"
11-49	2.000	2.000	0.625
13-36	2.500	0.625	0.045
13-37	1.500	0.625	0.045
13-39	2.125	1.125	0.078
16-6	1.250	0.750	0.125
16-7	1.000	1.000	0.062
16-33	1.500	1.500	0.250
16-42	4.000	2.625	0.062
16-43	2.000	2.625	0.062
16-48	6.000	0.877	0.062
16-57	1.250	1.250	0.125
16-59	2.000	2.000	0.188
16-60	3.000	3.000	0.375
16-61	3.000	3.000	0.250
16-62	1.000	1.500	0.062
16-69	1.125	1.375	0.062
16-74	3.000	5.000	0.062
16-77	2.000	1.500	0.062
16-112	5.500	1.500	0.070
20-42	1.500	1.500	0.125
20-43	1.000	1.000	0.125
20-44	2.000	2.000	0.125
20-72	3.000	3.000	0.187
20-101	3.000	0.750	0.062
20-102	1.000	0.750	0.062
20-106	1.000	2.000	0.125
20-146	1.000	2.000	0.050
20-284	3.000	3.000	0.370
25-33	2.000	4.000	0.062
27-88	0.750	0.375	0.050
27-103	5.000	3.000	0.186
30-3	1.500	1.750	0.070
34-15	2.000	1.500	0.225
44-2	1.750	1.750	0.062
63-25	1.500	2.500	0.188
69-2	2.000	2.000	0.060
4-92	0.625	0.375	0.062



PART #	DIM "A"	DIM "B"	DIM "C"
20-322	4.000	2.000	0.125
16-5	1.000	1.000	0.050
16-15	0.750	0.750	0.062
16-24	0.500	0.500	0.062
16-29	1.500	1.500	0.062
16-52	1.000	1.000	0.125
16-53	2.000	2.000	0.125
16-55	1.500	1.500	0.125
34-14	1.250	1.250	0.125
61-1	1.250	1.250	0.055
16-52	1.000	1.000	0.125
16-115	6.000	2.000	0.250



PART #	DIM "A"	DIM "B"
16-45	1.000	0.156
16-46	1.000	0.312
16-47	1.000	0.375
16-49	1.250	0.125
16-50	0.875	0.188
16-51	1.125	0.093
16-54	0.750	0.125
16-66	1.000	0.125
16-67	1.500	0.125
20-45	0.500	0.125
20-74	4.000	0.208
20-286	1.000	0.080
20-289	3.000	0.125
20-291	4.000	0.125
20-294	2.000	0.187
20-333	5.000	0.250
22-18	2.000	0.125
16-81	0.750	0.188



PART #	DIM "A"	DIM "B"	DIM "C"	DIM "D"
20-55	.312	.312	.750	.080
20-4	.437	.437	.437	.050
28-10	1.000	1.000	3.000	.125
28-9	2.000	2.000	5.000	.188
9-18	.462	.462	.375	.062
20-139	1.375	1.375	5.31	.125
22-32	.625	.625	.625	.062
9-12	.812	.812	.875	.062
27-173	.375	.375	1.757	.062
43-3	1.000	1.000	2.000	.125
76-12	.750	.750	.438	.125
27-178	1.500	1.500	5.625	.125
20-249	.750	.750	1.105	.050
76-66	.875	.875	1.235	.234
20-248	.750	.750	2.105	.050
16-72	1.000	1.000	2.000	.125
79-3	1.000	1.000	2.250	.190
43-1	1.000	1.000	4.000	.125
27-134	.625	.625	5.625	.125
41-203	.500	4.500	.750	.062
16-71	.500	5.500	1.500	.062
27-106	.625	1.250	.750	.050
27-107	.625	1.250	1.000	.050
27-250	.188	1.125	.740	.050
28-11	.500	.500	1.500	.125
28-12	1.500	1.500	3.000	.250
20-138	1.000	1.630	4.000	.130
16-26	.250	.500	1.000	.125
16-72	1.000	1.000	2.000	.125
16-107	1.000	.500	.938	.125

